

Taxon	Vernacular	Comment
<i>Amanita excelsa</i> var. <i>spissa</i>	Grey Spotted Amanita	
<i>Amanita fulva</i>	Tawny Grisette	
<i>Amanita muscaria</i> var. <i>muscaria</i>	Fly Agaric	
<i>Amanita rubescens</i> var. <i>rubescens</i>	The Blusher	
<i>Ascobolus stercorarius</i>		Bos taurus (dung)
<i>Biscogniauxia nummularia</i>	Beech Tarcrust	
<i>Bjerkandera adusta</i>	Smoky Bracket	
<i>Boletus badius</i>	Bay Bolete	
<i>Boletus chrysenteron</i>	Red-cracked Bolete	also known as <i>Xerocomellus chrysenteron</i> (definitely not <i>cisalpinus</i> )
<i>Boletus edulis</i>	Cep	
<i>Boletus pruinatus</i>	Matt Bolete	also known as <i>Xerocomellus pruinatus</i>
<i>Boletus subtomentosus</i>	Suede Bolete	also known as <i>Xerocomellus subtomentosus</i>
<i>Bulgaria inquinans</i>	Black Bulgar	
<i>Calocera cornea</i>	Small Stagshorn	
<i>Calocera pallidospathulata</i>	Yellow Clubs	
<i>Calocera viscosa</i>	Jelly Antler Fungus	
<i>Chalciporus piperatus</i>	Peppery Bolete	
<i>Cheilymenia fimicola</i>		Bos taurus (dung)
<i>Cheilymenia granulata</i>		Bos taurus (dung)
<i>Clavulina cinerea</i>	Grey Coral	
<i>Clavulina coralloides</i>	Crested Coral	also known as <i>Clavulina cristata</i>
<i>Clavulina rugosa</i>	Wrinkled Club	
<i>Clavulinopsis helvola</i>	Yellow Club	grass/soil - echinulate spores
<i>Clavulinopsis luteoalba</i>		spores of specimen checked
<i>Clitocybe fragrans</i>	Fragrant Funnel	
<i>Clitopilus prunulus</i>	The Miller	
<i>Coleosporium tussilaginis</i>	Coltsfoot Rust	<i>Tussilago farfara</i> - live leaf
<i>Collybia butyracea</i> var. <i>butyracea</i>	Butter Cap	
<i>Collybia confluens</i>	Clustered Tough Shank	
<i>Collybia maculata</i>	Spotted Toughshank	

<i>Coprinus comatus</i>	Shaggy Inkcap/Lawyer's Wig	
<i>Coprinus micaceus</i>	Glistening Ink Cap	
<i>Coprinus plicatilis</i>	Fairy Parasol	
<i>Cortinarius anomalus</i>	Variable Webcap	
<i>Cortinarius</i> sp.		originally thought <i>Hebeloma radicosum</i> until given further consideration.
<i>Cystoderma amianthinum</i>	Earthy Powdercap	
<i>Dacrymyces stillatus</i>	Common Jellyspot	
<i>Diatrype disciformis</i>	Beech Barkspot	
<i>Entoloma chalybaeum</i> var <i>chalybaeum</i>		The cheilocystidia did have Brown pigment in them so opted for <i>Entoloma chalybaeum</i> var <i>chalybaeum</i> (not var <i>lazulinum</i> which has a striate cap).
<i>Entoloma conferendum</i>	Star Pinkgill	in the dam grassland - specimen checked.
<i>Entoloma rhodopolium</i> var <i>rhodopolium</i>		specimen checked with key
<i>Erysiphe alphitoides</i>	powdery mildew on oak trees	Quercus - live leaf
<i>Fuligo septica</i> var. <i>flava</i>		
<i>Galerina</i> sp.		specimen did not id as specific <i>galerina</i> when checked
<i>Ganoderma</i> sp.		
<i>Golovinomyces depressus</i>		<i>Arctium minus</i> - dying leaf
<i>Grifola frondosa</i>	Hen of the Woods	
<i>Gymnopilus junonius</i>	Spectacular Rustgill	
<i>Gymnopilus penetrans</i>	Common Rustgill	
<i>Hebeloma crustuliniforme</i>	Poisonpie	
<i>Hebeloma sinapizans</i>	Bitter Poisonpie	
<i>Helvella crispa</i>	White Saddle	
<i>Helvella lacunosa</i>	Elfin Saddle	
<i>Hydnum repandum</i>	Wood Hedgehog	
<i>Hygrocybe calyptiformis</i>	Pink Waxcap	
<i>Hygrocybe chlorophana</i>	Golden Waxcap	also known as ' <i>Hygrocybe chlorophana/flavescens</i> '
<i>Hygrocybe flavipes</i>	Yellow Foot Waxcap	grass/soil
<i>Hygrocybe ingrata</i>	Spindle Shank Waxcap	grass/soil - Provisionally identified in field as <i>H. ovina</i> then nitrous odour and microscopy confirmed <i>H. ingrata</i>
<i>Hygrocybe laeta</i>	Heath Waxcap	

Hygrocybe nigrescens	Blackening Waxcap	specimen checked with key (also known as 'Hygrocybe nigrescens/conica')
Hygrocybe nivea	Snowy Waxcap	also known as 'Hygrocybe nivea/virginea'
Hygrocybe pratensis	Meadow Waxcap	
Hygrocybe reidii	Honey Waxcap	
Hygrophoropsis aurantiaca	False Chanterelle	
Hypholoma fasciculare	Sulphur Tuft	
Inocybe cincinnata var. major		in B&K vol 5 (p.48) - a good match in all respects (micro as well as macro)
Inonotus hispidus	Shaggy Bracket	
Inocybe subflocculosa		Orton and Cullington consider flocculosa to be a group with about 8 subspecies. Peter worked through the provisional key which they give, but it wasn't conclusive (best fit is Inocybe subflocculosa.)
Laccaria amethystina	Amethyst Deceiver	
Laccaria laccata	The Deceiver	
Laccaria proxima	Scurfy Deceiver	
Lacrymaria velutina	Weeping Widow	
Lactarius aurantiacus	Orange Milkcap	
Lactarius blennius	Beech Milkcap	
Lactarius deterrimus	False Saffron Milkcap	
Lactarius fluens		
Lactarius glyciosmus	Coconut-scented Milkcap	
Lactarius pubescens	Bearded Milkcap	
Lactarius quietus	Oak Milkcap	
Lactarius rufus	Rufous Milk Cap	
Lactarius subdulcis	Mild Milkcap	
Lactarius subumbonatus		dark brown with the oily/spicy smell and watery milk.
Lactarius turpis	Ugly Milkcap	
Leccinum cyanobasileucum		
Leccinum scabrum	Brown Birch Bolete	
Leotia lubrica	Jellybaby	
Lepiota cristata	Stinking Dapperling	
Lepiota sp.		

<i>Lycoperdon perlatum</i>	Common Puffball	
<i>Lycoperdon pyriforme</i>	Stump Puffball	
<i>Lyophyllum decastes</i>	Clustered Domecap	
<i>Marasmius oreades</i>	Fairy Ring Champignon	
<i>Marasmius rotula</i>	Little Wheel Fungus	
<i>Melanoleuca melaleuca</i>	Changeable Melanoleuca	
<i>Mycena flavescens</i>		specimen checked with key
<i>Mycena galopus</i> var. <i>nigra</i>	Milking Bonnet	Pinus/Betula - among litter
<i>Mycena pura</i>	Lilac Bonnet	
<i>Nectria cinnabarina</i>	Coral Spot	
<i>Panaeolina foenicisecii</i>	Brown Mottlegill	confirmed by nicely decorated spores.
<i>Parasola plicatilis</i>	Pleated Inkcap	There were no setae on the cap to make it <i>P. auricoma</i> and <i>P. leioccephala</i> did not fit the micro features.
<i>Paxillus involutus</i>	Brown Rollrim	
<i>Phaeolus schweinitzii</i>	Dyer's Mazegill	
<i>Pholiota alnicola</i> var. <i>alnicola</i>		Betula - from roots (reservoir margin)
<i>Pholiota squarrosa</i>	Shaggy Scalecap	
<i>Phragmidium violaceum</i>		<i>Rubus fruticosus</i> agg. - live leaf
<i>Piptoporus betulinus</i>	Birch Polypore/Razorstrop Fungus	
<i>Pleurotus ostreatus</i>	Oyster Mushroom	
<i>Pluteus cervinus</i>	Deer Shield	
<i>Postia caesia</i>	Conifer Blueing Bracket	
<i>Postia ptychogaster</i>		
<i>Postia tephroleuca</i>	Greyling Bracket	Fagus/wood - stump
<i>Psathyrella piluliformis</i>	Common Stump Brittlestem	
<i>Puccinia caricina</i> var. <i>ribesii-pendulae</i>	Sedge Rust	<i>Carex pendula</i> - live leaf
<i>Puccinia lagenophorae</i>		<i>Senecio vulgaris</i> - live leaf/stem
<i>Puccinia obscura</i>		<i>Luzula sylvatica</i> - live leaf
<i>Ramariopsis kunzei</i>	Ivory Coral	
<i>Reticularia lycoperdon</i>		
<i>Rhytisma acerinum</i>	Sycamore Tar-spot	

<i>Rhytisma prini</i>	Holly Tar-spot	
<i>Rickenella fibula</i>	Orange Moss Agaric	
<i>Russula betularum</i>	Birch Russula	
<i>Russula caerulea</i>	Humpback Brittlegill	
<i>Russula cyanoxantha</i>	The Charcoal Burner	
<i>Russula emetica</i>	The Sickener	Specimen checked via key
<i>Russula fellea</i>	Geranium Brittlegill	
<i>Russula nigricans</i>	Blackening Brittlegill	
<i>Russula nobilis</i>	Beechwood Sickener	
<i>Russula ochroleuca</i>	Ochre Brittlegill	
<i>Russula sanguinaria</i>	Bloody Brittlegill	
<i>Russula xerampelina</i>	Crab-scented Russula	
<i>Sawadaea bicornis</i>		Acer pseudoplatanus - live leaf
<i>Stereum hirsutum</i>	Hairy Curtain Crust	
<i>Stropharia semiglobata</i>	Dung Roundhead	Sheep dung - weathered
<i>Suillus luteus</i>	Slippery Jack	
<i>Tricholoma argyraceum</i>	Scaly Tricholoma	
<i>Tricholoma scalpturatum</i>	Yellowing Knight	
<i>Tricholoma sciodes</i>	Grey Tricholoma	
<i>Tricholoma sulphureum</i> var. <i>Sulphureum</i>	Sulphur Tricholoma	
<i>Tricholoma terreum</i>	Grey Knight	
<i>Tubaria conspersa</i>	Felted Twiglet	litter/soil
<i>Vascellum pratense</i>	Membranous Puffball	
<i>Xylaria hypoxylon</i>	Candlesnuff Fungus	
<i>Xylaria polymorpha</i>	Dead Man's Fingers	